



MACCO ORGANIQUES INC.

100 McArthur, Valleyfield, Quebec, Canada, J6S 4M5

Tel: (450) 371-1066, Fax: (450) 371-5519

Web page address: www.macco.ca, Email: macco@macco.ca



THE MANUFACTURING PROCESS OF THE PRODUCT BELOW IS COVERED BY A REGISTERED ISO 9001 QUALITY SYSTEM AND A FSSC 22000 FOOD SAFETY SYSTEM

Date: April 20, 2015	Supersedes: February 18, 2013	CAS #: 4075-81-4	Ref #: S20115-A8	DC: 15-052
----------------------	-------------------------------	------------------	------------------	------------

CALCIUM PROPIONATE FCC EEC DUST FREE AGGLOMERATE **EEC # : E-282**

C₆H₁₀CaO₄

Mol. Weight: 186.22

DESCRIPTION

White powder, possessing not more than a faint odor of propionic acid. One gram dissolves in about 3 ml of water.

SPECIFICATIONS

Identification	:	Positive
Assay (dry basis)	:	99.0% to 100.5%
pH (10% w/v)	:	7.5 to 9.0
Water	:	4% Max.
Fluoride	:	10 ppm Max.
Lead	:	2 mg/kg Max.
Heavy Metals (as Pb)	:	10 ppm Max.
Acid-Insoluble Substances	:	0.2% Max.
Water insolubles	:	0.3% Max.
Magnesium (as MgO)	:	Pass test (about 0.4%)
Arsenic (as As)	:	3 ppm Max.
Iron	:	50 ppm Max.
Mercury (as Hg)	:	1 ppm Max.

TYPICAL BULK DENSITY

Bulk Density (tapped)	:	28 - 33 lbs/cu.ft 0.45 - 0.53 g/cc
-----------------------	---	---------------------------------------

TYPICAL PARTICLE SIZE

On 2000 µm (US std mesh #10)	:	1% Max.
Thru 45 µm (US std mesh #325)	:	1% Max.

PACKAGING AND STORAGE

20 kg, 22.7 kg multiwall paper bag.

325 kg bulk bag.

Store in tight containers. Recommended storage conditions : a cool and dry place.

Recommended maximum storage time : 3 years.

FUNCTIONAL USE IN FOODS

Preservative, mold and rope inhibitor

Conforms to Food Chemical Codex and EEC specifications.

Liability: The information submitted in this document is based on current knowledge and experience. The information contained herein is furnished without warranty of any kind. Macco Organiques Inc. does not accept any liability whatsoever in respect of the use of this information nor in respect of use, application, adaptation or processing of the product described herein. The recommended times presented in this document may vary greatly depending on storage conditions.