

## MACCO ORGANIQUES INC.

100 McArthur, Valleyfield, Québec, Canada, J6S 4M5 Tél: (450) 371-1066, Fax: (450) 371-5519



(~)

Web page address: http://www.macco.ca , Email: macco@macco.ca

THE MANUFACTURING PROCESS OF THE PRODUCT BELOW IS COVERED BY A REGISTERED ISO-9001 QUALITY SYSTEM

Date: March 19<sup>th</sup>, 2010 Supersedes: January 23<sup>rd</sup>, 2008 CAS # : 532-32-1 Ref # : S40152-A1

# SODIUM BENZOATE FCC-NF AGGLOMERATE EEC #: E-211

 $C_7H_5NaO_2$  Mol. Weight: 144.11

### **DESCRIPTION**

White, odorless or nearly odorless. One gram dissolves in 2 ml of water.

#### **SPECIFICATIONS**

Appearance : White & fine granular

Identification : Positive

 Taste & Odor
 : No off taste or off odor

 Assay (dry basis)
 : 99.0% - 100.5%

 Alkalinity (as Na0H)
 : 0.04% Max.

 Heavy Metals (as Pb)
 : 0.0005% Max.

 Lead
 : 2 mg/kg Max.

 Water
 : 1.5% Max.

**OVI & RS**: This material conforms to the USP/NF limits for organic impurities. Based on our knowledge of the manufacturing process and on controlled handling, shipping and storage of the material, we acknowledge that there is no potential for introduction of Residuals Solvents (RS) & Organic Volatile Impurities (OVI) in the material, because, when used, the only solvent in our inorganic synthesis process, is potable water.

#### TYPICAL BULK DENSITY

Typical bulk density (tapped) : 24 - 28 lb/cu.ft 0.38 - 0.45 g/cc

TYPICAL PARTICLE SIZE

On 2000 μm (US std mesh #10) : 1% Max. Thru 45 μm (US std mesh #325) : 3% Max.

#### PACKAGING AND STORAGE

20 kg Multiwall paper bags or 45.4 kg fiber drums with polyethylene liner...

#### **FUNCTIONAL USE IN FOODS**

Preservative: antimicrobial agent.

Store in tight containers.

Recommended storage conditions: a cool and dry place.

Recommended maximum storage time: 2 years.

Conforms to U.S. Food Chemicals Codex Specifications Conforms to National Formula specifications

<u>Liability</u>: The information submitted in this document is based on current knowledge and experience. The information contained herein is furnished without warranty of any kind. Macco Organiques Inc. does not accept any liability whatsoever in respect of the use of this information nor in respect of use, application, adaptation or processing of the product described herein. The recommended times presented in this document may vary greatly depending on storage conditions.