



# MACCO ORGANIQUES INC.

100 McArthur, Valleyfield, Québec, Canada, J6S 4M5

Tél: (450) 371-1066, Fax: (450) 371-5519

Web page address: <http://www.macco.ca>, Email: [macco@macco.ca](mailto:macco@macco.ca)



THE MANUFACTURING PROCESS OF THE PRODUCT BELOW IS COVERED BY A REGISTERED ISO-9001 QUALITY SYSTEM

Date: March 19<sup>th</sup>, 2010

Supersedes: April 30<sup>th</sup>, 2007

CAS # : 532-32-1

Ref # : S40153-A2

## SODIUM BENZOATE FCC-NF DENSE

**EEC # : E-211**

C<sub>7</sub>H<sub>5</sub>NaO<sub>2</sub>

Mol. Weight: 144.11

### DESCRIPTION

White, odorless or nearly odorless. One gram dissolves in 2 ml of water.

### SPECIFICATIONS

Appearance	:	White & granular
Identification	:	Positive
Taste & Odor	:	No off taste or off odor
Assay (dry basis)	:	99.0% - 100.5%
Alkalinity (as NaOH)	:	0.04% Max.
Heavy Metals (as Pb)	:	10 mg/kg Max.
Lead	:	2 mg/kg Max.
Water	:	1.5% Max.

**OVI & RS:** This material conforms to the USP/NF limits for organic impurities. Based on our knowledge of the manufacturing process and on controlled handling, shipping and storage of the material, we acknowledge that there is no potential for introduction of Residuals Solvents (RS) & Organic Volatile Impurities (OVI) in the material, because, when used, the only solvent in our inorganic synthesis process, is potable water.

### TYPICAL BULK DENSITY

Typical bulk density (tapped)	:	46 - 50 lbs/cu.ft 0.74 - 0.80 g/ml
-------------------------------	---	---------------------------------------

### TYPICAL PARTICLE SIZE

On 2000 µm (US std mesh #10)	:	10 - 40%
Thru 180 µm (US std mesh #80)	:	1 - 4%

### PACKAGING AND STORAGE

20 kg, 22.7 kg, 25 kg Multiwall paper bags. 45.4 kg fiber drums with polyethylene liner.

454 kg or 907.2 kg tote bag.

Store in tight containers.

Recommended storage conditions : a cool and dry place.

Recommended maximum storage time : 2 years.

### FUNCTIONAL USE IN FOODS

Preservative: antimicrobial agent.

Conforms to U.S. Food Chemicals Codex Specifications

Conforms to National Formulary specifications

**Liability:** The information submitted in this document is based on current knowledge and experience. The information contained herein is furnished without warranty of any kind. Macco Organiques Inc. does not accept any liability whatsoever in respect of the use of this information nor in respect of use, application, adaptation or processing of the product described herein. The recommended times presented in this document may vary greatly depending on storage conditions.