

Trade Name: Edition: April 02, 2015
SODIUM PROPIONATE Version: 6/en

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY / UNDERTAKING			
Trade name	Sodium Propionate		
Synonyms	Propionic acid, sodium salt; Sodium propanoate, natriumpropionat		
Recommended use and restriction on use	Use as a preservative in food, feed and pharmaceutical applications. Use according to local regulations.		
Company	Macco Organiques Inc., 100 McArthur, Valleyfield, Qc, Canada, J6S 4M5		
Responsable service	Tel: (450) 371-1066 macco@macco.ca	Fax: (450) 371-5519 http://www.macco.ca	
Emergency phone numbers	CANUTEC (613) 996-6666	CHEMTREC, U.S. (800) 424-9300	International (703) 527-3887

2. HAZARDS IDENTIFICATION			
The substance is classified according to European Union (EU) directives 1272/2008, in replacement for 67/548/EEC including amendments and 1999/45/EC.			
Classification	Dermal Acute Toxicity Category 4, Warning, Harmful in contact with skin.		
Labeling type instruction	Pictogram	<u>(!)</u>	
	Signal word Warning		
	Hazard statement H312 Harmful in contact with skin.		
	Precautionary Statements		
	Prevention P280: Wear protective gloves and clothing		
	Response	P302+	IF ON SKIN: Wash with plenty of water.
		P352	Call a doctor if you feel unwell.
		P362+ P364	Take off contaminated clothing and wash before reuse.
		P501	Dispose of content and container in accordance with local regulations.
Other hazards			

3. COMPOSITION / INFORMATION ON INGREDIENTS		
Chemical name	Sodium propionate 100%	
Synonyms	Propionic acid, sodium salt; Sodium propanoate; natriumpropionat	
Chemical formula	NaC ₃ H ₅ O ₂	
CAS no.	137-40-6	
EEC (CE) no.	E 281	
EINECS no.	205-290-4	

Authorisation Date: 02AL15 Prepared by: HL



Trade Name:Edition: April 02, 2015SODIUM PROPIONATEVersion: 6/en

4. FIRST-AID MEASURES		
	DESCRIPTION OF FIRST AID EMERGENCIES	
General advices	In case of accident or illness, immediately get medical attention (show the label if possible). Show this safety data sheet to the physician. Remove and wash contaminated clothing before reusing.	
Inhalation	If inhaled, move the person to fresh air. If not breathing, give artificial respiration. Get medical attention if any symptoms occur.	
Skin contact	Rinse with water and wash with soap. Obtain medical attention if any symptoms occur.	
Eye contact	In case of contact with eyes, rinse immediately with plenty of water. Obtain medical attention if any symptoms occur.	
Ingestion	Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if any symptoms occur.	
	POTENTIAL ACUTE HEALTH EFFECTS	
Inhalation	Not considered to be toxic to humans.	
Ingestion	Not considered to be toxic to humans.	
Skin	Slightly irritant.	
Eyes	Slightly irritant.	
Potential chronic health effect	Carcinogenic effects: Not classified or listed by IARC, NTP, OSHA, EU and ACGIH. Mutagenic effects: No known significant effects. Teratogenic effects: No known significant effects.	
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.	
Notes to physician	No specific antidote. Medical staff must contact a Poisons Information Center.	

5. FIRE-FIGHTING MEASURES		
APPROPRIATE EXTINGUISHING MEDIA		
Suitable	Carbon dioxide (CO ₂)	
	Water spray	
	Foam	
	Dry powder	
	Use an extinguishing agent suitable for the surrounding fire.	
Not suitable	None known.	
Special exposure hazards	No specific hazard.	
Risks associated with thermal decomposition products	Under fire conditions or above decomposition temperature, emits carbon monoxide, carbon dioxide and sodium oxides. Sodium propionate can burn if heated to decomposition.	
Other fire-fighting measures	Fire residues and contaminated firefighting water must be disposed of according to local and national regulations.	
Special protective	Wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. For individual protection	

Authorisation Date: 02AL15
Prepared by: HL

risation Date: 02AL15 Page 2

For more detailed information on health effects and symptoms, refer to section 11.



Trade Name:Edition: April 02, 2015SODIUM PROPIONATEVersion: 6/en

equipment	equipment, refer to section 8.
Special risks	Sodium propionate can burn if heated to decomposition. Similar to dust of most combustible compounds, under certain conditions the airborne dust of this substance may explode when ignited by a spark, flame or other ignition sources. When evaluating the explosion hazard potential for the material, consider particle shape and size, dust concentration, presence of impurities, oxygen concentration, humidity and extent of containment.

6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment. For individual protective equipment, refer to section 8.
Environmental precautions	Avoid dispersal of spilled material, runoff and contact with soil, waterways, drains and sewers.
Cleaning methods	If emergency personnel are unavailable, vacuum or carefully scoop up spilt material and place in an appropriate container for disposal. Avoid creating dusty conditions and prevent wind dispersal. Dispose of as special waste according to local and national regulations. Thoroughly clean the floor and objects contaminated by observing environmental regulations. Refer to section 7 for handling directives.

7. HANDLING AND STORAGE		
Handling directives	Avoid dust formation during handling. DO NOT INGEST without prior transformation. Avoid all possible sources of ignition (spark or flame). Dry sweeping is not recommended. Do not perform any welding, cutting, drilling or other work that is susceptible to cause heat on or near empty container or transfer equipment until all combustible solids have been removed. Avoid dust accumulation. Pre-wet the material or use a vacuum equipped with high efficiency filter(s). The use of compressed air to clean equipment, clothing, etc. is not recommended. Provide ventilation and/or adequate ventilation in the working area. Refer to section 6 for environmental precautions.	
Fire and explosion protection recommendations	Store and use away from heat, sparks, open flame or any other ignition source. Under dusty environment, use explosion-proof electrical (ventilating, lighting and material handling) equipment. NO SMOKING.	
Requirements for warehouses and containers	Store in the original container.	
Storage information compatibility	Combustible material. Keep away from incompatible materials such as reactive metals (Aluminum, Magnesium) and strong acids, or oxidizing agents. Keep away from food, drink and animal feeding stuffs.	
Storage recommendations	Store in a tightly closed container in a dry, cool and well-ventilated area.	
Storage temperature	< 30 °C, not critical. Store away from direct sunlight.	
General hygiene	Eating, drinking and smoking in work area is prohibited, wash hands after use and remove contaminated clothing and protective equipment before entering eating areas.	

Authorisation Date: 02AL15
Prepared by: HL



Trade Name:Edition: April 02, 2015SODIUM PROPIONATEVersion: 6/en

8. EXPOSURE CON	TROLS/PERSONAL PROTECTION
	equipment must be selected and used according to local laws and regulations. In the EU Personal are managed through the Council Directive 89/686/EEC.
Professional exposure limits	TWA PEL: No specific exposure limit has been established for this material. For reference, OSHA and ACGIH have established the following limits which are generally recognized for inert or nuisance dust. Particulates Not Otherwise Regulated (PNOR) 15mg/cu. meter.
Recommended monitoring procedures	If this product is present at levels above the exposure limit, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for the determination hazardous substances.
Occupational exposure controls	No special ventilation requirements. Good general ventilation should be sufficient to control airborne levels to an acceptable limit. If the exposure exceeded the limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
Respiratory protection	A respirator is not needed under normal or intended conditions of product use. Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Reference should be made to European Standard EN 374.
Eye protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Reference should be made to European Standard EN 166.
Body and skin protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
General protection and hygiene measures	Avoid dust inhalation. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the working area.
Technical measures	Provide adequate ventilation, especially in confined areas. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Authorisation Date: 02AL15 Prepared by: HL

Page 4 of 10

Authorized by: JJRD



Trade Name:

SODIUM PROPIONATE

Edition: April 02, 2015

Version: 6/en

9. PHYSICAL AND CHEMIC	AL PROPERTIES	
Appearance (physical state & colour)	Low dust white to off-white powder, deliquescent in moist air.	
Odour	Faint odor (Slight)	
Odour threshold	Low	
pH Temperature Concentration	8.0 to 10.5 20°C (10% w/v)	
Melting point	285°C to 286°C (545.0°F to	. 546.8°F)
Boiling point	Not applicable	
Flash point	Not applicable	
Evaporation rate	Not applicable	
Flammability	Low, however airborne dust may present hazard	
Explosive properties	Risks of explosion of the product in presence of mechanical impact: Not applicable. Risks of explosion of the product in presence of static discharge: Not applicable, except for airborne dust. Maximum explosion pressure: 480 kPa (4.8 bar; 70 psi). Maximum rate of pressure rise: 4800 kPa/sec. (48 bar/sec. approx. 700 psi/sec.).	
Vapour pressure	0 kPa (0 mm Hg) (at 20 °C)	
Vapour density	Not applicable	
Relative density	Not available	
Bulk density	0.32 – 0.45 g/mL	
Water solubility	100 g/100 ml water	127 g/100 ml water
Temperature	25℃	80℃
Note: Soluble in cold water a	nd hot water, ethanol and me	ethanol. Insoluble in acetone and benzene.
Partition coefficient (n-octanol/water) (log value)	0.33 (at 25 ℃) (propionic acid)	
Measure type	Calculated	
Minimum ignition temperature	470°C (878°F) to 479°C (894°F)	
Decomposition temperature	Not available	
Viscosity	Not available	

10. STABILITY AND REACTIVITY		
Reactivity	No know reactivity under normal conditions of use.	
Stability	This product is stable but hygroscopic.	
Hazardous reactions	No dangerous reaction known under normal conditions of use.	

Authorisation Date: 02AL15 Prepared by: HL



Trade Name: Edition: April 02, 2015
SODIUM PROPIONATE Version: 6/en

Conditions to avoid	Avoid all possible sources of ignition (spark or flame).
Materials to avoid	Reactive with strong acids and oxidizing materials. Slightly corrosive with metals.
Hazardous decomposition products	Under fire conditions or above decomposition temperature emits carbon monoxide, carbon dioxide and sodium oxide.

11. TOXICOLOGICAL INFO	<u>AMATION</u>	
Oral toxicity	6332 mg/kg (sodium propionate)	
Test criteria	LD ₅₀	
Species used for the test	Mouse	
Note: No known significant effects or critical hazard.		
Inhalation Toxicity	Not available	
Test criteria	Not available	
Species used for the test	Not available	
Note: No known significant	effects or critical hazard.	
Skin toxicity	1640 mg/kg (sodium propionate)	
Test criteria	LD ₅₀	
Species used for the test	Rabbit	
Human Experience	No known significant effect or critical hazards.	
Skin corrosion/irritation	Slightly hazardous in case of skin contact (irritant) but not sufficient to cause classification.	
Serious eye damage/irritation	Slightly hazardous in case of eye contact (irritant) but not sufficient to cause classification.	
Skin sensitization	Prolonged contact with concentrated solutions may cause redness, drying and cracking of the skin (dermatitis).	
Other Toxicity	No known significant effects or critical hazard.	
Mutagenicity (germ cell) Reproduction	No known significant effect or critical hazards.	
Carcinogenicity	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.	
Developmental toxicity (maternal and teratoxicity)	NOAEL (No-observed-adverse-effect level) : Not available	
STOT-single exposure	NOAEL (No-observed-adverse-effect level) : Not available	
STOT-Repeated exposure	NOAEL (No-observed-adverse-effect level) > 660 mg/kg/day (male) and 696 mg/kg/day (female) (propionic acid)	

Authorisation Date: 02AL15 Prepared by: HL



Trade Name: Edition: April 02, 2015
SODIUM PROPIONATE Version: 6/en

12. ECOLOGICAL INFORMATION		
Ecotoxicity		
Toxicity to fish	4740 mg/l	
Test criteria	LC ₅₀	
Species used for the test	Pimephales promelas	
Exposure time	96 h	
Toxicity to bacteria	Not available	
Test criteria	Not available	
Species used for the test	Not available	
Administration duration	Not available	
Toxicity to daphnies	2510 mg/l	
Test criteria	IC ₅₀	
Species used for the test	Daphnia magna	
Exposure time	24h Immobile	
Toxicity to algae	Not available	
Test Criteria	Not available	
Species used for the test	Not available	
Exposure time	Not available	
Biodegradability	Readily biodegradable	
Persistance	Not persistent	
Bioaccumulation	Low bioaccumulation potential	
Mobility in soil	1.21 (propionic acid)	
Note: Propionic acid will part tend to move to water or grou	ition readily into soil, sediment, or biota. Similarly, propionic acid in these media would und-water if available.	
Bioconcentration Coefficient factor (BCF)	3.16 (Calculated: BCFWIN v2.15) (propionic acid)	
Determination results for PTB properties	PBT (Persistent, Bioaccumulation and toxic) and vPvB (Very Persistent and Very Bioaccumulative) evaluation: Not applicable	
	shwater aquatic species and to plants that are not saline tolerant. This product will	

contribute to the total Biological Oxygen Demand (BOD).

Other adverse effects: No known significant effects or critical hazards.

13. <u>DISPOSAL CONSIDERATIONS</u>

Waste residues information

The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewer. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation, and any national and local authority requirements. Refer to section 7 for handling directives and section 8 for exposure controls and personal protections.

Authorisation Date: 02AL15
Prepared by: HL



Trade Name: Edition: April 02, 2015
SODIUM PROPIONATE Version: 6/en

Contaminated packaging	Dispose of as waste residues.	
Waste classification	Not classified	
European waste catalogue (EWC)	Not classified	
Hazardous waste	To the knowledge of the supplier, this product is not regarded has a hazardous waste as define in the guideline 94/904/EC.	

14. TRANSPORT INFORMATIONS						
INTERNATIONAL TRANSPORT REGULATIONS						
Regulatory Information	Proper shipping name	Class	UN Number	PG	Label	Additional information
ADR/RID Class	Not applicable	-	Not regulated	- ا	-	-
ADNR Class	Not applicable	-	Not regulated	I -	-	-
IMDG Class	Not applicable	-	Not regulated	-	-	-
IATA Class	Not applicable	-	Not regulated	l -	-	-
DOT Class	Not applicable	-	Not regulated	l -	-	-
TDG Class	Not applicable	-	Not regulated	-	-	-
ADR/RID: European road and rail transport regulation.					partment of transpor	· ·

ADNR: Rhine maritime transport regulation.

IMDG: International maritime dangerous goods regulation.

IATA/DGR: International air transport regulation.

TMD: Transport of dangerous goods regulation.

PG: Packaging group.

15. REGULATORY INFORMATIONS		
EUROPEAN UNION REGULATIONS		
Risk phrases	Dermal Acute Toxicity Category 4, Warning, Harmful in contact with skin. This product is not classified according to EU legislation on SVHC and RoHS.	
Contains	Not applicable	
Product use	Classification and labelling have been performed according to EU directives 1272/2008 (including amendments) replacing 67/548/EEC and 1999/45/EC and according to the intended use. Industrial applications.	
	U.S.A	
HCS classification	Not regulated	
U.S.A. federal regulations	TSCA inventory: listed, Sodium propionate, not regulated	
	SARA 302/304/311/312 extremely hazardous substances: Not listed. SARA 302/304 emergency plan and notification: Not listed. SARA 302/304/311/312 hazardous chemicals: Not listed. SARA 311/312 MSDS distribution – chemical inventory – hazard identification: Not listed. CWA (Clean Water Act) 307: Not listed.	

Authorisation Date: 02AL15
Prepared by: HL

ation Date: 02AL15 Page 8 of 10



Trade Name:Edition: April 02, 2015SODIUM PROPIONATEVersion: 6/en

	CWA (Clean Water Act) 311: Not listed.
	CAA (Clean Air Act) 112 accidental release prevention: Not listed.
	CAA (Clean Air Act) 112 regulated flammable substances: Not listed.
	CAA (Clean Air Act) 112 regulatory toxic substances: Not listed.
	Defined as non hazardous by Occupational Safety and Health Administration (OSHA) hazard communication standard 29 CFR 910.1200(d).
State regulations	California prop. 65: Not listed.
	CANADA
WHMIS (Canada)	Listed, not regulated
•	CEPA DSL: Sodium propionate

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

National Fire
Protection
Association
(U.S.A.)



Hazardous Material Information System (U.S.A.)

HMIS Rating

Health	1
Fire hazard	1
Physical hasard	0
Personal protection	В

4- Extreme
3- Serious
2- Moderate
1- Slight
0- Minimal

Blue : Health
Red : Flammability
Yellow : Reactivity
White : Special

B: Safety glasses and protective gloves should be worn when handling this material. This rating is given to materials which have the potential for skin irritation, or which may be harmful if absorbed through the skin.

OTHER COUNTRY INVENTORIES

AICS	Listed, not regulated
ENCS	Listed, not regulated
IESCSC	Listed, not regulated
PICCS	Listed, not regulated
KECL	Listed, not regulated
NZIOC	Listed, not regulated

Authorisation Date: 02AL15
Prepared by: HL

Page 9 of 10

Authorized by: JJRD



Authorized by: JJRD

Trade Name:	Edition: April 02, 2015
SODIUM PROPIONATE	Version: 6/en

16. OTHER INFORMATIONS		
Other information	General update of the document.	
Department issuing the safety data sheet	Technical Services, Macco	
HISTORY		
Edition date	02 AL 15	
Previous edition date	01 FE 2012	

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials or preparation may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

References:

SIDS Initial Assessment report for SIAM 25, Helsinki, Finland 16-19 October 2007 (propionic acid).

EFSA Panel on Additives and Products or Substances used in Animal Feed (FEEDAP); Scientific

Opinion on the safety and efficacy of propionic acid, sodium propionate, calcium propionate and ammonium propionate for all animal species. EFSA Journal 2011;9(12):2446.

PAN pesticide database, www.pesticideinfo.org, accessed on September 03, 2014.

TOXNET database, www.toxnet.nlm.nih.gov, accessed on October 15, 2014.

CSST- Service du répertoire toxicologique, www.csst.qc.ca/prevention/reptox/Pages/repertoire-toxicologique.aspx, accessed on December 4, 2014.

C&L Inventory database http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database, accessed on December 9, 2014.

Authorisation Date: 02AL15 Page 10 of 10
Prepared by: HL
Authorisation Date: 02AL15