



MACCO ORGANIQUES INC.

100 McArthur, Valleyfield, Québec, Canada, J6S 4M5

Tél: (450) 371-1066, Fax: (450) 371-5519

Web page address: <http://www.macco.ca> , Email: macco@macco.ca



THE MANUFACTURING PROCESS OF THE PRODUCT BELOW IS COVERED BY A REGISTERED ISO-9001 QUALITY SYSTEM

Date: June 1, 2011	Supersedes : March 19 th , 2010	CAS # : 4075-81-4	Ref # : S20122-A3
--------------------	--------------------------------------------	-------------------	-------------------

CALCIUM PROPIONATE FEED AGGLOMERATE

C₆H₁₀CaO₄

Mol. Weight: 186.22

DESCRIPTION

White powder, possessing not more than a faint odor of propionic acid. One gram dissolves in about 3 ml of water.

SPECIFICATIONS

pH (10% solution)	:	6 to 11
Assay (dry basis)	:	98% Min.
Calcium	:	20.8% Min.
Heavy Metals (as Pb)	:	0.002% Max.

BULK DENSITY

Typical bulk density (tapped)	:	26 lbs/cu.ft to 29 lbs/cu.ft 0.416 g/cc to 0.464 g/cc
-------------------------------	---	----------------------------------------------------------

TYPICAL PARTICLE SIZE

On 2000 µm (US std mesh # 10)	:	1% Max.
Thru 45 µm (US std mesh #325)	:	5% Max.

PACKAGING AND STORAGE

20 kg multiwall paper bag.

Store in tight containers. Recommended storage conditions : a cool and dry place.
Recommended maximum storage time : 3 years.

FUNCTIONAL USE

Preservative, mold and rope inhibitor.

DOSAGE (SUGGESTED)

Feed Mixture Humidity	Calcium Propionate Dosage		
	%	Kg/Metric Ton	Lbs/U.S. Ton
Below 12%*	0.2%	2 kg	4 lbs
Over 12%*	0.3 to 0.5%	3 to 5 kg	6 to 10 lbs

*Dosage is also function of the nature of the feed mixture and the storage time, temperature and humidity conditions. Warm temperature and high humidity will require higher dosage.

Liability: The information submitted in this document is based on current knowledge and experience. The information contained herein is furnished without warranty of any kind. Macco Organiques Inc. does not accept any liability whatsoever in respect of the use of this information nor in respect of use, application, adaptation or processing of the product described herein. The recommended times presented in this document may vary greatly depending on storage conditions.